



ISSN Print: 2664-844X
 ISSN Online: 2664-8458
 NAAS Rating (2026): 4.97
 IJAFS 2026; 8(6): 01-05
www.agriculturaljournals.com
 Received: 06-04-2026
 Accepted: 08-05-2026

Kimaya Dattatray Joshi
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

PR Kolhe
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

VK Patil
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

**Pradyumna Prataprao
 Deshmukh**
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

SV Pathak
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

AR Patil
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

VD Jadhav
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

Corresponding Author:
Kimaya Dattatray Joshi
 College of Forestry, Dr.
 Balasaheb Sawant Konkan
 Krishi Vidyapeeth, Dapoli,
 Maharashtra, India

Information Technology in Conservation, Monitoring and Mapping of Olive Ridley Sea Turtles: A Review

Kimaya Dattatray Joshi, PR Kolhe, VK Patil, Pradyumna Prataprao Deshmukh, SV Pathak, AR Patil and VD Jadhav

DOI: <https://www.doi.org/10.33545/2664844X.2026.v8.i8a.1749>

Abstract

The Olive Ridley sea turtle (*Lepidochelys olivacea*) is one of the most widely distributed marine turtle species and plays a vital role in maintaining marine ecosystem balance. Despite its ecological significance, the species faces numerous threats including habitat degradation, climate change, fisheries bycatch, marine pollution, and illegal harvesting. Recent advances in information technology have revolutionized wildlife conservation by providing innovative tools for monitoring, tracking, and protecting endangered species. This review examines the application of modern information technologies in the conservation and mapping of Olive Ridley sea turtles. Technologies such as satellite telemetry, Global Positioning Systems (GPS), Geographic Information Systems (GIS), remote sensing, unmanned aerial vehicles (UAVs), artificial intelligence (AI), machine learning, cloud computing, and citizen science platforms are discussed in detail. These technologies facilitate accurate monitoring of migration routes, habitat utilization, nesting beach dynamics, and threat assessment. The review also highlights the role of technological innovations in marine protected area planning, climate change adaptation strategies, and community participation in conservation programs. Furthermore, the challenges, limitations, and future prospects of integrating advanced technologies into sea turtle conservation are critically analyzed. The findings suggest that information technology has significantly enhanced the effectiveness of conservation programs and provides a strong foundation for evidence-based management and sustainable protection of Olive Ridley sea turtle populations worldwide.

Keywords: Olive Ridley Sea Turtle, Information Technology, Satellite Telemetry, GIS, Artificial Intelligence, Remote Sensing

Introduction

Marine turtles represent one of the oldest surviving groups of reptiles on Earth, having existed for more than 100 million years and surviving major geological and climatic changes that led to the extinction of many other species (Stanford *et al.*, 2020) [25]. These ancient marine vertebrates play a vital ecological role in maintaining the structure, function, and productivity of marine and coastal ecosystems (Kelley *et al.*, 2015) [14]. As keystone species, sea turtles contribute to nutrient cycling, maintain healthy seagrass beds and coral reef ecosystems, regulate jellyfish populations, and support the ecological balance of coastal habitats (Patel *et al.*, 2022) [20]. Their presence serves as an important indicator of ocean health, making their conservation essential for sustaining marine biodiversity and ecosystem services (S Teelucksingh *et al.*, 2010) [23].

Among the seven recognized species of marine turtles worldwide, the Olive Ridley sea turtle (*Lepidochelys olivacea*) is one of the most abundant and widely distributed (Bowen *et al.*, 1997) [7]. The species inhabits tropical and subtropical waters of the Pacific, Atlantic, and Indian Oceans, occurring along the coastlines of more than 80 countries. Olive Ridley turtles are best known for their remarkable mass nesting phenomenon called *arribada*, a Spanish term meaning "arrival" (Shanker *et al.*, 2004) [24]. During arribada events, thousands of gravid females emerge simultaneously on specific nesting beaches to lay eggs, creating one of the most spectacular wildlife events on Earth. Major arribada nesting sites occur along the coasts of India, Costa Rica, Mexico, Nicaragua, and other tropical regions. In India, the Odisha coast, particularly Gahirmatha, Rushikulya, and Devi river mouth beaches, hosts some of the world's largest nesting aggregations of Olive Ridley turtles and plays a crucial role in the global conservation of the species (Behera *et al.*, 2016) [6].

Despite their wide geographical distribution and relatively large population size compared to other sea turtle species, Olive Ridley turtles face numerous anthropogenic and environmental threats throughout their life cycle (Chattopadhyay *et al.*, 2018) ^[8]. Habitat degradation resulting from coastal development, tourism infrastructure, artificial lighting, and beach erosion has significantly reduced the availability and quality of nesting habitats (Lopez *et al.*, 2015) ^[16]. Marine pollution, particularly plastic debris, poses serious risks through ingestion and entanglement, leading to injury, reduced fitness, and mortality (Worm *et al.*, 2017) ^[32]. Fisheries bycatch remains one of the most significant threats, as turtles are frequently captured unintentionally in trawl nets, gill nets, and longline fisheries. Additionally, illegal harvesting of eggs and adults, vessel strikes, and marine pollution continue to negatively impact turtle populations in many regions (Akani *et al.*, 2023) ^[3]. Effective conservation and management of Olive Ridley turtles require comprehensive knowledge of their ecology, behavior, migration patterns, habitat utilization, and interactions with human activities (Dawson *et al.*, 2017) ^[9]. Traditionally, researchers relied on flipper tagging, direct observations, mark-recapture studies, nest counts, and field surveys to collect ecological information. Although these conventional approaches have contributed substantially to sea turtle research, they are often limited in spatial coverage, labor-intensive, time-consuming, and unable to provide continuous information on long-distance movements and habitat use in the open ocean. Since Olive Ridley turtles undertake extensive migrations across international waters, traditional monitoring techniques alone are insufficient for understanding their complex life history and implementing effective conservation measures (Maxwell *et al.*, 2011) ^[18].

The rapid advancement of information technology has transformed wildlife research and conservation by providing innovative tools capable of collecting, processing, analyzing, and visualizing large volumes of ecological data (Ullah *et al.*, 2025) ^[27]. Modern technologies have enabled researchers to overcome many limitations associated with traditional monitoring methods and have revolutionized the study of marine megafauna, including sea turtles (Rees *et al.*, 2018) ^[21]. Satellite telemetry and Global Positioning System (GPS) technologies allow scientists to track individual turtles in near real-time, revealing migration routes, foraging grounds, breeding habitats, and behavioral patterns that were previously difficult to observe (Hussey *et al.*, 2015) ^[13]. Geographic Information Systems (GIS) facilitate the integration and spatial analysis of biological and environmental data, enabling habitat mapping, conservation planning, and identification of critical ecological corridors (Rudnick *et al.*, 2015) ^[22].

Similarly, advances in remote sensing technologies provide valuable information on coastal habitats, oceanographic conditions, shoreline dynamics, and climate change impacts. Unmanned Aerial Vehicles (UAVs) or drones have emerged as cost-effective tools for monitoring nesting beaches, estimating turtle populations, and generating high-resolution habitat maps (Agabiti *et al.*, 2025) ^[2]. Artificial Intelligence (AI), machine learning, and computer vision techniques further enhance conservation efforts by enabling automated species detection, image classification, predictive modeling, and threat assessment (Wang *et al.*, 2025) ^[31]. The integration of cloud computing, big data analytics, Internet of Things (IoT) devices, and citizen science platforms has

further strengthened data collection, management, and dissemination, allowing conservationists to make informed decisions based on real-time information. This review aims to provide a comprehensive overview of the role of information technology in the conservation, monitoring, and mapping of Olive Ridley sea turtles. It examines the applications of satellite telemetry, GIS, remote sensing, drones, artificial intelligence, IoT, and citizen science tools in understanding turtle ecology and supporting conservation efforts. The review also discusses current challenges, emerging technologies, and future research directions that can contribute to more effective and sustainable conservation of this ecologically significant marine species.

Table 1: Information Technologies Used in Olive Ridley Turtle Conservation

Technology	Principle	Major Applications	Advantages
Satellite Telemetry	GPS-based tracking	Migration monitoring	Real-time data
GIS	Spatial analysis	Habitat mapping	Decision support
Remote Sensing	Satellite imagery	Coastal monitoring	Large area coverage
Drones (UAVs)	Aerial surveys	Nest counting	High accuracy
Artificial Intelligence	Machine learning	Species detection	Automated analysis
IoT Sensors	Real-time sensing	Environmental monitoring	Continuous data collection

Evolution of Technology in Wildlife Conservation

Wildlife conservation has undergone a remarkable transformation over the past few decades. Early monitoring techniques primarily relied on physical tagging, direct observation, and manual data recording. While these methods provided useful ecological information, they were labor-intensive and often limited in spatial and temporal coverage. The development of satellite telemetry in the 1980s marked a major breakthrough in wildlife tracking. Subsequent advancements in GPS technology, GIS software, remote sensing, and digital communication systems further expanded monitoring capabilities (Kumar and Moore, 2002). More recently, the emergence of artificial intelligence, machine learning, drones, cloud computing, and big data analytics has revolutionized biodiversity conservation by enabling automated data collection, analysis, and predictive modelling (Ali *et al.*, 2025) ^[4]. The integration of multiple technologies has facilitated a shift from localized conservation approaches to large-scale ecosystem management strategies capable of addressing complex environmental challenges.

Satellite Telemetry and GPS Tracking

Satellite telemetry is among the most widely used technologies for monitoring sea turtle movements. The technology involves attaching satellite transmitters to the carapace of turtles. These transmitters communicate with satellites, providing accurate location information over extended periods. Satellite telemetry enables researchers to monitor migration routes, identify foraging grounds, determine breeding habitats, and assess habitat utilization patterns (Wakefield *et al.*, 2009) ^[29]. GPS-based tracking systems provide highly accurate positional data, often within a few meters, allowing detailed analysis of turtle behavior.

Satellite telemetry has become an indispensable tool in sea turtle conservation by providing detailed information on the movements and behavior of individuals across vast marine environments (Hays and Hawkes, 2018) ^[11]. The technology enables researchers to map migration corridors, identify critical feeding and breeding habitats, monitor nesting and reproductive migrations, and assess the overlap between turtle movements and human activities such as fisheries and shipping routes. Furthermore, telemetry data help evaluate the effectiveness of conservation measures, including marine protected areas and bycatch mitigation strategies, thereby supporting evidence-based management and long-term conservation planning (Hays *et al.*, 2019) ^[12]. Despite its effectiveness, satellite telemetry faces challenges including high equipment costs, battery limitations, data transmission constraints, and potential impacts on animal behavior.

Geographic Information Systems (GIS) in Turtle Conservation

Geographic Information Systems (GIS) are powerful tools for storing, analyzing, and visualizing spatial information. GIS technology has become indispensable in sea turtle conservation by enabling the integration of biological, environmental, and geographic datasets.

Geographic Information Systems (GIS) have become essential tools in sea turtle conservation by enabling the collection, analysis, and visualization of spatial data related to turtle populations and their habitats (Baumbach *et al.*, 2019) ^[5]. GIS is widely used for mapping nesting beaches, identifying migratory pathways, and conducting habitat suitability analyses to determine areas that support turtle survival and reproduction. Additionally, GIS supports the planning and management of Marine Protected Areas (MPAs), monitors environmental threats such as coastal development and pollution, and assesses the vulnerability of habitats to climate change impacts (Torresan *et al.*, 2016) ^[26]. By integrating biological and environmental data, GIS facilitates informed decision-making and enhances the effectiveness of conservation and management strategies for Olive Ridley sea turtles.

By combining telemetry data with oceanographic variables such as sea surface temperature, chlorophyll concentration, and ocean currents, GIS enables researchers to identify critical habitats and conservation priority areas. GIS-based decision support systems facilitate evidence-based management and policy development.

Remote Sensing Applications

Remote sensing is a powerful technology that involves acquiring information about the Earth's surface without direct physical contact, using sensors mounted on satellites, aircraft, or other aerial platforms. In wildlife conservation, remote sensing provides valuable spatial and temporal data that help researchers monitor environmental conditions over large geographic areas (Wang *et al.*, 2010) ^[30]. High-resolution satellite imagery enables continuous observation of coastal ecosystems, allowing scientists to assess habitat characteristics, detect environmental changes, and support conservation planning for marine species such as Olive Ridley sea turtles (Mahrad *et al.*, 2020) ^[17]. In sea turtle conservation, remote sensing is widely used for coastal habitat mapping, shoreline change detection, monitoring nesting beach erosion, assessing the impacts of sea-level

rise, analyzing ocean productivity, and detecting environmental changes that may affect turtle populations (Mazor *et al.*, 2013) ^[19]. Satellite systems such as Landsat, Sentinel, MODIS, and WorldView provide long-term datasets that facilitate the monitoring of nesting habitats and marine ecosystems across broad spatial scales. By integrating remote sensing data with other technologies such as GIS and satellite telemetry, researchers can better understand habitat dynamics, predict future environmental changes, and develop effective conservation strategies for the protection of Olive Ridley sea turtles.

Drone Technology and Photogrammetry

Unmanned Aerial Vehicles (UAVs), commonly known as drones, have become valuable tools for wildlife research and conservation. Drones provide high-resolution imagery while minimizing disturbance to animals and habitats. Drone technology has emerged as an efficient and non-invasive tool for monitoring sea turtle populations and their habitats. Unmanned Aerial Vehicles (UAVs) equipped with high-resolution cameras can rapidly survey large coastal areas, providing detailed information that would be difficult and time-consuming to obtain through traditional ground-based methods (Adade *et al.*, 2021) ^[1]. The use of drones minimizes human disturbance while improving the accuracy and efficiency of data collection.

Drone applications in sea turtle conservation include nest counting, population estimation, beach topography mapping, habitat monitoring, anti-poaching surveillance, and post-disaster assessment. High-resolution aerial imagery enables researchers to accurately estimate turtle abundance, identify nesting sites, and monitor habitat changes over time (Varela *et al.*, 2019) ^[28]. Following extreme weather events such as storms, cyclones, or coastal flooding, drones can quickly assess damage to nesting beaches and support restoration efforts. Furthermore, real-time aerial surveillance helps conservation agencies detect illegal activities and strengthen the protection of critical nesting habitats. Photogrammetry techniques convert aerial images into accurate three-dimensional models, allowing researchers to assess beach morphology, erosion risk, and habitat suitability. Drone-based monitoring offers cost-effective and efficient alternatives to traditional field surveys.

Artificial Intelligence and Machine Learning

Artificial Intelligence (AI) has emerged as one of the most promising technologies in biodiversity conservation, offering powerful tools for analyzing large and complex ecological datasets. Unlike traditional methods, AI systems can rapidly process vast amounts of information collected from satellite imagery, drones, camera traps, sensors, and telemetry devices, enabling researchers to detect patterns and trends that may otherwise remain unnoticed. By automating data analysis and improving predictive capabilities, AI has significantly enhanced the efficiency and accuracy of wildlife monitoring and conservation efforts. In sea turtle conservation, AI is increasingly being used for automated turtle detection from drone imagery, species identification, nest detection, behavioral analysis, migration prediction, and threat assessment (Gray *et al.*, 2019) ^[10]. Machine learning and computer vision algorithms can accurately identify turtles in aerial photographs, monitor nesting activities, and distinguish individuals based on unique physical characteristics. AI-driven predictive models

also help forecast migration routes, identify high-risk areas for bycatch or habitat degradation, and assess the impacts of environmental changes on turtle populations. These applications support data-driven decision-making and enable conservation managers to implement more targeted and effective protection strategies for Olive Ridley sea turtles.

Challenges and Limitations

Although information technology has greatly enhanced sea turtle research and conservation, several challenges limit its widespread adoption and effectiveness. High equipment and operational costs associated with satellite transmitters, drones, advanced sensors, and specialized software often restrict their use, particularly in resource-limited conservation programs. In addition, the successful implementation of these technologies requires skilled personnel with expertise in data collection, analysis, Geographic Information Systems (GIS), remote sensing, and artificial intelligence. The large volume of data generated by modern monitoring systems also creates challenges related to data storage, processing, management, and interpretation. Infrastructure limitations, such as inadequate internet connectivity, power supply, and technical support in remote coastal regions, can further hinder the application of advanced technologies. Ethical concerns regarding animal welfare may arise from the attachment of tracking devices or frequent monitoring activities, necessitating careful consideration of research protocols. Furthermore, issues related to data privacy, security, and the potential misuse of sensitive location information must be addressed to protect vulnerable species and habitats. Limited accessibility to advanced technologies in many developing countries also creates disparities in conservation capacity. Therefore, overcoming these technical, financial, and ethical challenges is essential for maximizing the conservation benefits of technological innovations and ensuring their sustainable application in Olive Ridley sea turtle conservation.

Conclusion

Information technology has transformed the conservation and management of Olive Ridley sea turtles by providing innovative tools for monitoring, mapping, and protecting populations across vast marine environments. Technologies such as satellite telemetry, GIS, remote sensing, drones, artificial intelligence, IoT, and citizen science platforms have significantly improved our understanding of turtle ecology, migration patterns, and habitat requirements. These tools facilitate evidence-based conservation planning, support climate change adaptation, and strengthen community participation in conservation initiatives. Although challenges related to cost, technical expertise, and infrastructure remain, ongoing technological advancements continue to expand opportunities for effective conservation. Future integration of emerging digital technologies will play a critical role in ensuring the long-term survival and sustainable management of Olive Ridley sea turtle populations worldwide.

References

1. Adade R, Aibinu AM, Ekumah B, Asaana J. Unmanned aerial vehicle (UAV) applications in coastal zone management: A review. *Environ Monit Assess*. 2021;193(3):154.
2. Agabiti C, Baldi G, Moscoloni G, Pandocchi GAA, Gonzalez-Bernando E, Casale P. High sea turtle density in a Mediterranean foraging ground revealed by UAV surveys and machine learning. *Endanger Species Res*. 2025;58:241-256.
3. Akani GC, Luiselli L, Harry GA, Jovita KT, Alawa GN. Challenges of sea turtle conservation in African territorial waters: The way out. In: Sustainable utilization and conservation of Africa's biological resources and environment. Singapore: Springer Nature; 2023. p. 519-541.
4. Ali G, Mijwil MM, Adamopoulos I, Ayad J. Leveraging the Internet of Things, remote sensing, and artificial intelligence for sustainable forest management. *Babylonian J Internet Things*. 2025;2025:1-65.
5. Baumbach DS, Anger EC, Collado NA, Dunbar SG. Identifying sea turtle home ranges utilizing citizen-science data from novel web-based and smartphone GIS applications. *Chelonian Conserv Biol*. 2019;18(2):133-144.
6. Behera S, Tripathy B, Sivakumar K, Choudhury BC. Beach dynamics and impact of armouring on olive ridley sea turtle (*Lepidochelys olivacea*) nesting at Gahirmatha rookery of Odisha coast, India. *Indian J Geo-Mar Sci*. 2016;45(2):233-238.
7. Bowen BW, Clark AM, Abreu-Grobois FA, Chaves A, Reichart HA, Ferl RJ. Global phylogeography of the ridley sea turtles (*Lepidochelys* spp.) as inferred from mitochondrial DNA sequences. *Genetica*. 1997;101(3):179-189.
8. Chattopadhyay NR, Chetia A, Machahary KQ, Dupak O. Assessment of conservation measures for olive ridley sea turtle (*Lepidochelys olivacea*) along Rushikulya rookery, Ganjam district, Odisha, India. *Int J Mar Biol Res*. 2018;3(1):1-9.
9. Dawson TM, Formia A, Agamboué PD, Asseko GM, Boussamba F, Cardiac F, *et al*. Informing marine protected area designation and management for nesting olive ridley sea turtles using satellite tracking. *Front Mar Sci*. 2017;4:312.
10. Gray PC, Fleishman AB, Klein DJ, McKown MW, Bezy VS, Lohmann KJ, *et al*. A convolutional neural network for detecting sea turtles in drone imagery. *Methods Ecol Evol*. 2019;10(3):345-355.
11. Hays GC, Hawkes LA. Satellite tracking sea turtles: Opportunities and challenges to address key questions. *Front Mar Sci*. 2018;5:432.
12. Hays GC, Bailey H, Bograd SJ, Bowen WD, Campagna C, Carmichael RH, *et al*. Translating marine animal tracking data into conservation policy and management. *Trends Ecol Evol*. 2019;34(5):459-473.
13. Hussey NE, Kessel ST, Aarestrup K, Cooke SJ, Cowley PD, Fisk AT, *et al*. Aquatic animal telemetry: A panoramic window into the underwater world. *Science*. 2015;348(6240):1255642.
14. Kelley NP, Pyenson ND. Evolutionary innovation and ecology in marine tetrapods from the Triassic to the Anthropocene. *Science*. 2015;348(6232):aaa3716.
15. Kumar S, Moore KB. The evolution of global positioning system (GPS) technology. *J Sci Educ Technol*. 2002;11(1):59-80.
16. Lopez GG, Saliés EDC, Lara PH, Tognin F, Marcovaldi MA, Serafini TZ. Coastal development at sea turtles

- nesting ground: Efforts to establish a tool for supporting conservation and coastal management in northeastern Brazil. *Ocean Coast Manag.* 2015;116:270-276.
17. Mahrad BE, Newton A, Icely JD, Kacimi I, Abalansa S, Snoussi M. Contribution of remote sensing technologies to a holistic coastal and marine environmental management framework: A review. *Remote Sens.* 2020;12(14):2313.
 18. Maxwell SM, Breed GA, Nickel BA, Makanga-Bahouna J, Pemo-Makaya E, Parnell RJ, *et al.* Using satellite tracking to optimize protection of long-lived marine species: Olive ridley sea turtle conservation in Central Africa. *PLoS One.* 2011;6(5):e19905.
 19. Mazor T, Levin N, Possingham HP, Levy Y, Rocchini D, Richardson AJ, *et al.* Can satellite-based night lights be used for conservation? The case of nesting sea turtles in the Mediterranean. *Biol Conserv.* 2013;159:63-72.
 20. Patel ESHA, Kotera M, Phillott A. The roles of sea turtles in ecosystem processes and services. *Indian Ocean Turtle Newsl.* 2022;36:23-31.
 21. Rees AF, Avens L, Ballorain K, Bevan E, Broderick AC, Carthy RR, *et al.* The potential of unmanned aerial systems for sea turtle research and conservation: A review and future directions. *Endanger Species Res.* 2018;35:81-100.
 22. Rudnick D, Ryan SJ, Beier P, Cushman SA, Dieffenbach F, Epps C, *et al.* The role of landscape connectivity in planning and implementing conservation and restoration priorities. *Issues Ecol.* 2012.
 23. Teelucksingh S, Eckert S, Nunes PA. Marine turtles, ecosystem services and human welfare in the marine ecosystems of the Caribbean Sea: A discussion of key methodologies. *Études Caribéennes.* 2010;(15).
 24. Shanker K, Pandav B, Choudhury BC. An assessment of the olive ridley turtle (*Lepidochelys olivacea*) nesting population in Orissa, India. *Biol Conserv.* 2004;115(1):149-160.
 25. Stanford CB, Iverson JB, Rhodin AGJ, van Dijk PP, Mittermeier RA, Kuchling G, *et al.* Turtles and tortoises are in trouble. *Curr Biol.* 2020;30(12):R721-R735.
 26. Torresan S, Critto A, Rizzi J, Zabeo A, Furlan E, Marcomini A. DESYCO: A decision support system for the regional risk assessment of climate change impacts in coastal zones. *Ocean Coast Manag.* 2016;120:49-63.
 27. Ullah F, Saqib S, Xiong YC. Integrating artificial intelligence in biodiversity conservation: Bridging classical and modern approaches. *Biodivers Conserv.* 2025;34(1):45-65.
 28. Varela MR, Patrício AR, Anderson K, Broderick AC, DeBell L, Hawkes LA, *et al.* Assessing climate change-associated sea-level rise impacts on sea turtle nesting beaches using drones, photogrammetry and a novel GPS system. *Glob Change Biol.* 2019;25(2):753-762.
 29. Wakefield ED, Phillips RA, Matthiopoulos J. Quantifying habitat use and preferences of pelagic seabirds using individual movement data: A review. *Mar Ecol Prog Ser.* 2009;391:165-182.
 30. Wang K, Franklin SE, Guo X, Cattet M. Remote sensing of ecology, biodiversity and conservation: A review from the perspective of remote sensing specialists. *Sensors (Basel).* 2010;10(11):9647-9667.
 31. Wang T, Zuo Y, Manda T, Hwarari D, Yang L. Harnessing artificial intelligence, machine learning and deep learning for sustainable forestry management and conservation: Transformative potential and future perspectives. *Plants (Basel).* 2025;14(7):998.
 32. Worm B, Lotze HK, Jubinville I, Wilcox C, Jambeck J. Plastic as a persistent marine pollutant. *Annu Rev Environ Resour.* 2017;42:1-26.